

Page 1 of 1

All amounts are calculated in domestic currency.

All Vendors	PO ID PO34905	All Receipt Dates	All Line Item Types
-------------	---------------	-------------------	---------------------

[illegible]



Diversified Ulbrich
20 Hymus Blvd
PTE. Claire, QC H9R 1C9,
Phone: (514)694-6522 Fax : (514)694-0266
Toll Free: (800)361-5950

PACKING SLIP

Pg 1 of 1

I112309



SOLD TO: 00022279 DART AEROSPACE LTD 1270, ABERDEEN STREET HAWKESBURY, ON K6A 1K7 Ph: (613) 632-5200	SHIP TO: DART AEROSPACE LTD 1270, ABERDEEN STREET HAWKESBURY, ON K6A 1K7	SPECIAL INSTRUCTIONS: ***SHIP JOURNEY FREIGHT COLLECT ***
---	--	--

Sales Person	Payment Terms	Contact	Work Order	MTR	
PATRICIA GAGNON	NET 30 DAYS	CHANTAL LAVOIE	W271996	Y	
Ship Via	Shipping Terms	Customer PO	Date Ordered	Date Required	Date Shipped
COMMON CARRIER	COLLECT	34905	01/11/17	01/13/17	01/13/17

Line	Description	Ordered	Back Ordered	Shipped	Unit
0001	STAINLESS SHEET SSH 304 EXP PAPER 16F x 3/4" x 48" ✓ Weight: 360 LB 1056429; Heat: 848084; 19 PC; 342 LB; 1056428; Heat: 848084; 1 PC; 18 LB; DIAMONDS MUST RUN ALONG THE 8 FT MILL TEST WITH SHIPMENT 1 SKID <i>8017-01-16</i> <i>1455009</i> Approx Weight: 360 LB	20	/	/	20 PC

Received by: _____ Date: _____ Signature: _____

NOTICE OF SHIPMENT/
PACKING LIST

APR 26 2016



Flat Rolled Products

CERTIFICATE OF TEST

AL 6168-6 0814

CUST. ORD. NO. & DATE	P005751	CUST. CODE	03/10/16	329586	ACCEPTING MILL	SHIPPER NO.	505244	PRODUCT CODE	13020102060000	MILL ORDER NUMBER	30-036-190	DATE SHIPPED	04/19/16
FORMS DISTRIBUTION	SOLD TO	SHIP TO	SPEC TO	REPEAT ORDER	VANDERGRIFF, PA	GOVT CONTRACT	7219.90.0000	SHIP TO	1124 VANDERGRIFF	PA	668282	INVOICE	
DIVERSIFIED ULBRICH STAINLESS	AKA ULBRICH OF CANADA INC	98 NORFINCH DRIVE	DOWNSVIEW, ON M3N1X1	PRIME SEC.	DSO	DSO	EXCELSIOR STEEL PROCESSING LTD	34 CARSON STREET	ONTARIO	TORONTO	ZIP CODE: M8W 3R9	CN	

GRADE AND SPECIFICATIONS

"ATI 304L" STAINLESS STEEL SHEET C R COILS ANNEALED 2B FIN 3 EDGE (304/304L) (AMS 551H R2013) (AMS 5513J)
(ASTM-A-480-16) (ASTM-A-262-14 PRACTICE E) (DIN EN 10204:2006 3.1 CERTIFICATE) (EN 10028-7:2007-1.4307-2B)
(EN 10028-7:2007-1.4301-2B) (ASME-SA-240 ED 2015) (ASTM-A-240-15B)

CARRIER - M & C TRUCKING CO.

ITEM PCS DIMENSIONS W/G/L

001B	148.1059/2285.	DAS	HEAT #	COIL #	TEST #	GROSS TARE NET	THEO	TAG # /	CD SKID #
C	CUST IDENTITY 304L2B16GX48XG.88	9	848084	AAB38020-A	8836013	22100 50 22050		431604	
	1 SKID					22100 50 22050			

ORDER REMARKS:

EXW - EXCEPT VAT AND OTHER APPLICABLE LOCAL TAXES WHICH ARE THE RESPONSIBILITY OF THE BUYER
DIST: PLEASE SEND ACKNOWLEDGMENTS ATTN: ANNE DIRKSEN-CAIROLI

TYPE HEAT/TEST (WT %)

HEAT 848084	--C--	--MN--	--P--	--S--	--SI--	--CR--	--NI--	--MO--	--CU--	--N--
TEST LOCATION	.021	1.70	.037	.0001	.35	18.32	8.10	.48	.39	.08
	BN	BN	BN	BN	BN	BN	BN	BN	BN	BN

ITEM TEST NO

001B 8836013	YIELD TENSILE % ELONG	PSI * PSI	IN 2"	% R/A	HARDNESS	BEND ISO 3651-2	SIZE	HARDENABILITY
	T 47500.	94600.	55. =	NR	85.HRBW	T PASS PASS	NR	
	TC	TC	TC	TC	TC	TC	TC	

TEST LOCATION

ITEM TEST NO

* Y.S. BY 0.2% OFFSET METHOD
CORROSION T-YIELD
A 262 PR E 1%
PASS 52406.

TEST LOCATION

PAGE 01 - CONTINUED ON PAGE 02

04/19/16 08:06:36

CONSIGNEE- Please Note- This consignment is limited and to carrier in first class condition, being properly loaded, at which our responsibility for loss or damage in shipment ceases. For your protection please examine shipment as it arrives. If any shortage or damage is discovered, have a full description made by transportation agent on waybill before signing.

WARNING
Safety Data Sheets for this product are available on our website, www.atimaterials.com. A thorough review of the Safety Data Sheet for the grade of material purchased shall be completed prior to working with this product and all safety & health considerations outlined must be implemented.

The above is a true copy of data on file. The material and test results conform to the sales contract and specification(s) as set forth in ATI Flat Rolled Products Order Acknowledgement.
Stephen McGill, Director, Corporate Quality Assurance

011639

014832.

NOTICE OF SHIPMENT/
PACKING LIST



CERTIFICATE OF TEST

AL 6159-5 0814

CUST. ORD. NO. & DATE		CUST. CODE		ACCEPTING MILL		SHIPPER NO.		PRODUCT CODE		MILL ORDER NUMBER		DATE SHIPPED	
P005751		03/10/16 329586		VANDERGRIFF, PA		505244		13020102060000		30-036-190		04/19/16	
FORMS DISTRIBUTION		REPEAT ORDER		DO PRI. RATE ORTY		GOVT CONTRACT		MATERIAL		SHIPPING LOCATION		INVOICE	
SOLD TO		PRIME DSO		SEC. DSO		SHIP TO		1124 VANDERGRIFF		PA		668282	
DIVERSIFIED ULBRICH STAINLESS		30		EXCELSIOR STEEL PROCESSING LTD		34 CARSON STREET		ZIP CODE: M8W 3R9		CN			
AKA ULBRICH OF CANADA INC				TORONTO									
98 NORFINCH DRIVE													
DOWNSVIEW, ON M3N1X1													
CANADA													

GRADE
"ATI 304L" STAINLESS STEEL SHEET C R COLLS ANNEALED 2B FIN 3 EDGE
CARRIER - M & C TRUCKING CO.

= ELONG AFTER FRACTURE

NR = DATA NOT REQUIRED
GRADE VERIFICATION WAS CARRIED OUT SPECTROSCOPICALLY
ASTM A262 PRACTICE E BEND ANGLE IS 180 DEGREES.

THESE COMMODITIES OR TECHNOLOGY, WHEN EXPORTED FROM THE UNITED STATES, ARE IN ACCORDANCE WITH THE USA EXPORT ADMINISTRATION REGULATIONS. DIVERSION CONTRARY TO U.S. LAW IS PROHIBITED. U.S. LAW ALSO PROHIBITS DISPOSITION OF THESE COMMODITIES/TECHNICAL DATA TO ANY END-USER OR FOR ANY END-USE RELATED TO THE DESIGN, DEVELOPMENT, PRODUCTION, STOCKPILING, OR USE OF CHEMICAL, BIOLOGICAL, OR NUCLEAR WEAPONS, OR MISSILES, WITHOUT THE PROPER APPROVAL OF THE UNITED STATES GOVERNMENT.

T1 SENSITIZATION HEAT TREATMENT WAS PERFORMED ON LOW CARBON AND STABILIZED GRADES. T1: HEATING OF A FLAT NON-WELDED TEST PIECE AT 700C +/- 10C (1292F +/- 18F) FOR 30 MINUTES FOLLOWED BY WATER COOLING.

EN 10204:2005 - ATI FLAT ROLLED PRODUCTS IS APPROVED AS A MANUFACTURER ACCORDING TO THE PRESSURE EQUIPMENT DIRECTIVE PED 97/23/EC.

THIS CERTIFIED MATERIAL TEST REPORT SHALL NOT BE REPRODUCED EXCEPT IN FULL. FEDERAL LAW PROHIBITS THE RECORDING OF FALSE, FICTITIOUS, OR FRAUDULENT STATEMENTS OR ENTRIES ON THE CERTIFICATE AND MAY BE PUNISHABLE AS A FELONY UNDER FEDERAL LAW. ATI FRP HOLDS SEVERAL QUALITY CERTIFICATIONS THAT INCLUDE ISO-9001, AS9100, NADCAP, AND ISO/IEC 17025. MATERIAL WAS MANUFACTURED IN ACCORDANCE WITH THE ATI FRP QUALITY MANUAL REVISION 24 DATED 10/16/2015.

PAGE 02 - CONTINUED ON PAGE 03

04/19/16 08:06:36

CONSIGNEE: Please Note-This consignment was turned over to the consignee under the condition, being correctly packed, at which time our responsibility for the goods ends. For your protection please examine shipment as it arrives. Any shortage or damage is discovered, have a full description made by transportation agent on waybill before signing.

WARNING

Safety Data Sheets for this product are available on our website, www.ATIproducts.com. A thorough review of the Safety Data Sheet for the grade of material purchased shall be performed prior to working with this product and all safety & health considerations outlined must be implemented.

The above is a true copy of data on file. The material and test results conform to the sales contract and specifications as set forth in ATI Flat Rolled Products Order Acknowledgement.

Stephen Wolf - Director, Corporate Quality Assurance

**NOTICE OF SHIPMENT/
PACKING LIST**



Flat Rolled Products

CERTIFICATE OF TEST

AL 6168-6 0814

CUST. ORDER NO. & DATE
5 82825

FORMS ON
SHIP
TO -

FORM DISTRIBUTION

THAPPED

1

WET

1608150-51-55

7210	PAID COUNTY
------	----------------

2-35-0000

1124

SHIPPING
1
DATE RECEIVED

LOCATION	DATE	TIME	DESCRIPTION
...

INVOICE
0000000000

Approved

GRADE AND "ATI 304L" STAINLESSSTEEL SHEET (ASME-SA-480 EDITION 1995) PRODUCT (ASTM-A-480) (UNS S30400)	EDGE FINISH YES (UNS S30400)	NO COILS NO (UNS S30400)	CARRIER - CUSTOMER TRUCK (304/304L) (AMS 55114 R2013) (AMS 55133) (ASTM-A-240-15B) (ASME-SA-240 ED 2015)
---	------------------------------------	--------------------------------	--

[illegible]

001	1	48./.	059/2121.	848308	✓	AAB40185-B	✓	0836753	20560	20560	✓	436399	✓	2012
001B	1	48./.	059/2114.	848384	✓	AAB42159-B		0836993	20520	20520	✓	437871	✓	2012
C	CUST	IDENTITY	304L2B.	059X48-VMI										
	2	COLLS							41080	41080				


OP

410830

436399 ✓ 012360
437871 ✓ 012362

ORDER REMARKS: EXM - EXCEPT VAT AND OTHER APPLICABLE LOCAL TAXES WHICH ARE THE RESPONSIBILITY OF THE BUYER
DIST: EMAIL INVOICE TO APESAMUEL.COM VMI ITEM - DO NOT SEND ACK TO SOLD-TO, SEND TO SAMUEL SON &
CO LTD, 2360 DIXIE ROAD, MISSISSAUGA, ONTARIO, CANADA, L4Y 1Z7, ATTN: MR. TERRY CROWE

TYPE	HEAT/TEST	(WT %)	C	MN	P	S	SI	CR	NI	MO	CU	N
HEAT	848308		-019	1.67	-035	-0001	-35	18.16	8.25	-36	-42	.07
TEST	LOCATION		BN	BN	BN	BN	BN	BN	BN	BN	BN	BN
HEAT	848384		-022	1.68	-033	-001	-33	18.30	8.15	-45	-49	.07
TEST	LOCATION		BN	BN	BN	BN	BN	BN	BN	BN	BN	BN


 P183395
 399

	YIELD	TENSILE	% ELONG	CORROSION	ASTM GRAIN	HARDENABILITY
ITEM TEST NO	PSI *	PSI	IN 2"	% R/A	HARDNESS	BEND A 262 PR E SIZE
001 B836753				NR	G2.HRBW	T PASS PASS NR

TEST LOCATION	I 48800.	56. #	84.HREW	TC	TC	NK
001B 8836993	TC	TC	TC	T PASS	PASS	NK

TEST LOCATION	TC	TC	TC	TC	TC
14/0000.	94400.	55. #	85.HREBW		
PAGE 01 - CONTINUED ON PAGE 02					

05/25/16 09:52:07

Consignee—Please Note—This consignment will turn over to the carrier in final class condition, being correctly loaded, at which time responsibility for loss or damages in shipment ceases. For your information, please indicate on this bill of lading, if any shortage or damage to goods exists at the time of shipment, or if any description made by transportation agent on receipt before signing.

Safety Data Sheets for this equipment are available on our website, www.infomobile.com. A thorough review of the Safety Data Sheet for the grade of material purchased shall be performed prior to welding with this product and all safety & health considerations outlined must be implemented.

Stephen West
Director, Compliance Quality Assurance

Stephen West *CPA*

The above is a true copy of data on file. The material and test results conform to the sales contract and specification(s) as set forth in AT1 Flut Notice Products Order Acknowledgment.

The above is a true copy of data on file.
Products Order Acknowledgment.

APR 19 1964

standards and specifications) as set forth in ATT Fiat Protocol

NOTICE OF SHIPMENT/ PACKING LIST



Flat Rolled Products

CERTIFICATE OF TEST

AL 6168-6 0814

CART. ORDER NO. & DATE
S 82825

SOME DISTRIBUTION
SOLD TO SHIP TO

03/30/14 7886308
VANDERGRIFT, PA 508122

130201022050000
30-036-596
05/25/16
DATE SHIPPED

PRIME BECL
DSO DSO
30 45

1124
VANDERGRIFT
SHIP TO

PA 668480
INVOICE

GRADE
"ATI 304L" STAINLESS STEEL SHEET C R COILS ANNEALED 2B FIN 3 EDGE

CARRIER - CUSTOMER TRUCK

* Y.S. BY 0.2% OFFSET METHOD
ELONG AT FRACTURE

NR = DATA NOT REQUIRED
GRADE VERIFICATION WAS CARRIED OUT SPECTROSCOPICALLY

EN 10204:2005 - 3.1 CERTIFICATE DOES NOT INDICATE PED APPROVAL FOR THIS MATERIAL.

THESE COMMODITIES OR TECHNOLOGY, WHEN EXPORTED FROM THE UNITED STATES, ARE IN ACCORDANCE WITH THE USA EXPORT ADMINISTRATION REGULATIONS. DIVERSION CONTRARY TO U.S. LAW IS PROHIBITED. U.S. LAW ALSO PROHIBITS DISPOSITION OF THESE COMMODITIES/TECHNICAL DATA TO ANY END-USER OR FOR ANY END-USE RELATED TO THE DESIGN, DEVELOPMENT, PRODUCTION, STOCKPILING, OR USE OF CHEMICAL, BIOLOGICAL, OR NUCLEAR WEAPONS, OR MISSILES, WITHOUT THE PROPER APPROVAL OF THE UNITED STATES GOVERNMENT.

THIS CERTIFIED MATERIAL TEST REPORT SHALL NOT BE REPRODUCED EXCEPT IN FULL. FEDERAL LAW PROHIBITS THE RECORDING OF FALSE, FICTITIOUS, OR FRAUDULENT STATEMENTS OR ENTRIES ON THE CERTIFICATE AND MAY BE PUNISHABLE AS A FELONY UNDER FEDERAL LAW. ATI FRP HOLDS SEVERAL QUALITY CERTIFICATIONS THAT INCLUDE ISO-9001, AS9100, NADCAP, AND ISO/IEC 17025. MATERIAL WAS MANUFACTURED IN ACCORDANCE WITH THE ATI FRP QUALITY MANUAL REVISION 24 DATED 10/16/2015.

PAGE 02 - CONTINUED ON PAGE 03

05/25/16 09:52:07

CONSIGNEE- Please Note-This consignment was turned over to carrier in final condition, being correctly loaded, at which time responsibility for loss or damage in shipment ceased. For your information, please note as it arrives, if any shortage or damage is observed, have a full description made by transportation agent on weight bridge slip.

WARNING
Safety Data Sheets for this product are available on our website, www.atimaterials.com. A thorough review of the Safety Data Sheet for the grade of material purchased shall be performed prior to working with the product and all safety & health considerations outlined must be implemented.

The above is a true copy of data on file. The material and test results conform to the sales contract and specifications as set forth in ATI Flat Rolled Products' Order Acknowledgment.

Stephen Wolf
Director, Commercial Quality Assurance

1

AL 6168-6 0814

0475 SHIPPE
05/25/16

PA 668480

CARRIER - CUSTOMER TRUCK

ALL FLAT ROLLED PRODUCTS HAS NO CONTROL OVER CUSTOMER PROCESSING OF MATERIAL; INCLUDING, DOES NOT REPRESENT BUT NOT LIMITED TO, BUFFING OR ELECTROPOLISHING MATERIAL WITH A 2B OR OTHER FINISH, AND GUARANTY THAT THE MATERIAL IS SUITABLE FOR ANY PARTICULAR PROCESS OR USE OF CUSTOMER.

TESTING WAS PERFORMED AT THE FOLLOWING LOCATIONS:
BN = ATI-FLAT ROLLED PRODUCTS; 100 RIVER ROAD; BRACKENRIDGE, PA 15014
TC = ATI-FLAT ROLLED PRODUCTS; 1300 PACIFIC AVENUE; NATRONA HEIGHTS, PA 15065

FOR ACCESS TO ONLINE CERTIFICATES OF TEST
REGISTER AT MYATI.ATIMETALS.COM

PAGE 03 - FINAL PAGE.

05/25/16 09:52:07

MATERIAL RECEIPT INSPECTION FORM

MATERIAL: M304EX0.75-16 F

PO / BATCH NO.: P034905/M134612

DATE: 17-01-31

MATERIAL CERT REC'D: yes
 QUANTITY RECEIVED: 20 sheet
 QUANTITY INSPECTED: 20
 QUANTITY REJECTED: 0

THICKNESS ORDERED: 16 gauge
 THICKNESS RECEIVED: .045"
 SHEET SIZE ORDERED: 48x3
 SHEET SIZE RECEIVED: 48x3

DESCRIPTION	NCR (Check Y/N)	COMMENTS
SURFACE DAMAGE	Y (N)	
CORRECT FINISH	(Y) N	
CORROSION	Y (N)	
CORRECT GRAIN DIRECTION	(Y) N	
CORRECT MATERIAL	(Y) N	
CORRECT THICKNESS	(Y) N	
PHOTO REQUIRED	Y (N)	
CORRECT MATERIAL	(Y) N	ASTM A 240
CORRECT REF # TO LINK CERT	(Y) N	HT # 344034
CORRECT MATERIAL IDENTIFICATION	(Y) N	
CORRECT M# ON THE MATERIAL	(Y) N	
DOES THIS MATERIAL REQUIRE ENGINEERING SIGN OFF	Y (N)	
DOES THIS REQUIRE AN EXTRUSION REPORT	Y (N)	


CUT SAMPLE PIECE OF MATERIAL AND PERFORM A HARDNESS CHECK. RECORD RESULTS BELOW					
TYPE OF MATERIAL SIZE OF TEST SAMPLE HARDNESS / DUROMETER READING	HRC	HRB	DUR A	DUR D	

testers located in the Quality Office

QC 18 INSPECTION	ENGINEERING SIGNOFF (if required)
INSPECTED BY: <u>DAS 9</u> DATE: <u>17-01-31</u>	SIGNED OFF BY: _____ DATE: _____

Attach this inspection sheet with the corresponding material cert and remit to be scanned and received in

SPECIFICATION CONTROL DRAWING



STYLE	SIZE OF DIAMOND ¹				SIZE OF STRAND				WEIGHT	
	STD	FLAT	STD	FLAT	WIDTH "W"	STD	FLAT	THICK	STD	FLAT
1/2-18	0.48	0.48	1.20	1.24	0.085	0.100	0.050	0.040	0.73	0.70
1/2-16	0.48	0.48	1.20	1.24	0.085	0.100	0.062	0.050	0.91	0.90
3/4-18	0.90	0.90	2.00	2.10	0.100	0.118	0.050	0.040	0.47	0.46
3/4-16	0.90	0.90	2.00	2.10	0.100	0.118	0.062	0.050	0.60	0.57
3/4-13	0.90	0.90	2.10	2.10	0.100	0.118	0.094	0.070	0.91	0.88
3/4-9	0.90	0.90	2.00	2.10	0.150	0.165	0.140	0.120	2.05	1.96

¹ A TOLERANCE OF +/-10% OR +/- 0.07 (MIN) IS PERMITTED

REFERENCE ONLY

RELEASED
2010-05-26

PURCHASE MATERIAL: AISI 304/316 STAINLESS STEEL EXPANDED METAL MESH
(REF. STAINLESS STEEL PER ASTM A240)

SPECIFICATION: ASTM F1267 OR MIL-M-44194D

PART NUMBER: M304EX.Y.Y.Y.TT.F
SIZE GA

Y.Y.Y. = SIZE
TT = GAUGE THICKNESS OF METAL
F = FLATTENED (OPTIONAL)
EG 3/4"-16F, EXPANDED METAL MESH (FLATTENED) = M304EX0.75-16F.

DAS
9-89

REV.	DESCRIPTION	BY	DATE
B	REFORMAT DWG, ADD MIL/ASTM SPECS (2N A8-1), ADD TABLE & DETAIL (2N 06-1), REF NICK 09-090	DS	10.01.11
A	NEW ISSUE	BY	01.07.16
DESIGN	DART AEROSPACE LTD		
DRAWN	HAWKESBURY, ONTARIO, CANADA		
CHECKED			
MFG. APPR.	M304EX		
APPROVED			
DATE	10.01.11		

DART AEROSPACE LTD
HAWKESBURY, ONTARIO, CANADA
REV. B
SHEET 1 OF 1
SCALE
NTS

COPYRIGHT © 2001 BY DART AEROSPACE LTD
ALL RIGHTS RESERVED. NO PART OF THIS PUBLICATION MAY BE REPRODUCED OR TRANSMITTED IN ANY FORM OR BY ANY MEANS, ELECTRONIC OR MECHANICAL, INCLUDING PHOTOCOPYING, RECORDING, OR BY ANY INFORMATION STORAGE AND RETRIEVAL SYSTEM, WITHOUT PERMISSION IN WRITING FROM DART AEROSPACE LTD.



Dart Aerospace Ltd.
1270 Aberdeen Street
Hawkesbury, ON K6A 1K7
Tel: 613 632 9577
Fax: 613 632 1053

PURCHASE ORDER

Purchase Order ID **PO34905**

Purchase Order Date 1/11/2017 8:53:00 AM
PO Print Date 1/11/2017

Page Number 1 of 2

Order From :
DIVERSIFIED ULBRICH
20 HYMUS BLV
POINTE-CLAIRE, QC H9R 1C9
CA

VC-DIV001

Ship To : DART AEROSPACE LTD
1270 ABERDEEN
HAWKESBURY, ON K6A 1K7
CANADA

JAN 11 2017

E-MAILED

Contact Name
Vendor Phone 514 694 6522

Ship To Contact
Ship To Phone
Ship Via: Journey Freight collect
Ship Acct:

Buyer
Customer POID
Customer Tax # 10127-2607
Terms Net 30
Currency CAD
FOB Destination-Collect

Line Nbr	Reference Vendor Part Number Line Comments Delivery Comments	Description/ Mfg ID	Req Date/ Taxable Promise Date	CD	Req Qty/ Unit of Measure	PO Unit Price	Extended Price
1	M304EX0.75-16F	Expanded Metal Flat SS	1/16/2017 Yes 1/16/2017		640.00 sf	\$5.16	\$3,302.40

MATERIAL: 304 /316 STAINLESS STEEL EXPANDED METAL
AS PER ASTM F1267 OR MIL-M-17194D
NOTE: DIAMOND MUST RUN ALONG THE 8 FT

ASTM A 240 per Attach Drawing.

DAS
9
9-89

Line Total: \$3,302.40

2	71401-45	Procurement Quality Clause	1/16/2017 No 1/16/2017		1.00	\$0.00	\$0.00
---	----------	-------------------------------	------------------------------	--	------	--------	--------

Procurement Quality Clauses
A005 right of entry
A012 chemical and physical test report
A016 personnel qualification
A017 raw material identification (as applicable)
A026 certification of material conformance
A041 quality management system
A042 dart notification by supplier
A043 retention of quality documents

SP17-01-16

Note:



Dart Aerospace Ltd.
1270 Aberdeen Street
Hawkesbury, ON K6A 1K7
Tel: 613 632 9577
Fax: 613 632 1053

PURCHASE ORDER

Purchase Order ID PO34905

Purchase Order Date 1/11/2017 8:53:00 AM

PO Print Date 1/11/2017

Page Number 2 of 2

Order From :

VC-DIV001

Ship To : DART AEROSPACE LTD

DIVERSIFIED ULBRICH
20 HYMUS BLV
POINTE-CLAIRE, QC H9R 1C9
CA

1270 ABERDEEN
HAWKESBURY, ON K6A 1K7
CANADA

Contact Name

Vendor Phone

514 694 6522

Ship To Contact

Ship To Phone

Ship Via:

Journey Freight collect

Ship Acct:

Buyer

Chantal Lavoie

Customer POID

Customer Tax #

10127-2607

Terms

Net 30

Currency

CAD

FOB

Destination-Collect

Line Total: \$0.00

PO Total: \$3,302.40

Note: Terms & Condition of Purchasing(Suppliers) and Procurement Quality Clauses are an integral part of our AS9100 requirements. To learn in detail, please visit www.dartaerospace.com for further explanation.

Change Nbr: 1

Change Date: 1/11/2017